Performance curves

WZSV 62(H)(K)3M









823255b

Key:	DE823000L/170408
$\dot{V}_{HW}$	Heating water volume flow rate
$\dot{V}''$	Heat source volume flow rate
$Temp_{WQ}$	Heat source temperature
Qh	Heating capacity
Pe	Power consumption
COP	Coefficient of performance
Δp_{HW} / $\Delta p_{HW/K}$	Heating circuit free pressure / Heating circuit with cooling free pressure
Δp_{WQ} / $\Delta p_{WQ/K}$	Heat source free pressure / Heat source with cooling free pressure









823277

Key:	DE823000L/170408
$\dot{V}_{HW}$	Heating water volume flow rate
$\dot{V}$"	Heat source volume flow rate
Temp$_{WQ}$	Heat source temperature
Qh	Heating capacity
Pe	Power consumption
COP	Coefficient of performance
Δp_{HW} / $\Delta p_{HW/K}$	Heating circuit free pressure / Heating circuit with cooling free pressure
Δp_{WQ} / $\Delta p_{WQ/K}$	Heat source free pressure / Heat source with cooling free pressure









823274b

Key:	DE823000L/170408
$\dot{V}_{HW}$	Heating water volume flow rate
$\dot{V}''$	Heat source volume flow rate
Temp$_{WQ}$	Heat source temperature
Qh	Heating capacity
Pe	Power consumption
COP	Coefficient of performance
Δp_{HW} / $\Delta p_{HW/K}$	Heating circuit free pressure / Heating circuit with cooling free pressure
Δp_{WQ} / $\Delta p_{WQ/K}$	Heat source free pressure / Heat source with cooling free pressure









823256b

Key:	DE823000L/170408
$\dot{V}_{HW}$	Heating water volume flow rate
$\dot{V}''$	Heat source volume flow rate
Temp$_{WQ}$	Heat source temperature
Qh	Heating capacity
Pe	Power consumption
COP	Coefficient of performance
Δp_{HW} / $\Delta p_{HW/K}$	Heating circuit free pressure / Heating circuit with cooling free pressure
Δp_{WQ} / $\Delta p_{WQ/K}$	Heat source free pressure / Heat source with cooling free pressure